

REGISTER - 8 -

ZEBRA PREISLISTE KABEL & ACCESSORIES

Y - CABLE

CONNECTORS

ADAPTER

MIC HOLDERS / HEAD BALL FOR SHURE SM58 / WIND SCREEN

SERVICE CABLE

MICROPHONE CABLE / DMX CABLE

GUITAR CABLE

POWERTECH CABLE

HOT LINE GUITAR CABLE

Preisliste Kabel & Accessories

- Y-Cable
- Connectors
- Adapter
- Mic Holders
- BGSM-58 Head Ball for Shure SM 58
- Wind Screen
- Service Cable
- Microphone Cable
- Guitar Cable

| | |
|----------------|-------------------------|
| Y-CABLE | INSTRUMENT CABLE |
|----------------|-------------------------|

CYC-01



- 1/4" stereo plug to two 1/4" stereo jacks
 - Length : 6 inches
- 3.65

CYC-02



- 1/4" stereo plug to two 1/4" mono jacks
 - Length : 6 inches
- 3.55

CYC-03



- 1/4" MONO PLUG TO TWO 1/4" MONO JACKS
 - LENGTH : 6 INCHES
- 3.40

CYC-04



- 1/4" STEREO PLUG TO TWO 1/4" RCA JACKS
 - LENGTH : 6 INCHES
- 3.30

CYC-05



- 1/4" stereo plug to two 1/4" mono plugs
 - Length : 6 inches
- 2.80

CYC-06



- XLR "M" to two XLR "F"s
 - Length : 6 inches
- 6.10

CYC-07



- XLR "F" to two XLR "M"s
 - Length : 6 inches
- 6.10

CYC-08



- 1/8" stereo extension "F" to two RCA plugs
 - Length : 6 inches
- 3.15

INSTRUMENT CABLE

CYC-09



- 1/8" stereo plug to two 1/4" stereo jacks
- Length : 6 inches

3.40

CYC-10



- 1/4" mono plug to two RCA jacks
- Length : 6 inches

2.45

CYC-11



- 3.5mm stereo plug to two 1/4" mono jacks
- Length : 6 inches

3.40

CYC-12



- 1/4" stereo extension F to two 1/4" mono plugs
- Length : 6 inches

5.25

CYC-13



- RCA "M" to two RCA jacks
- Length : 6 inches

2.30

CYC-14



- 1/8" stereo plug to two RCA jacks
- Length : 6 inches

2.35

CYC-15



- 1/8" stereo plug to two 1/4" mono jacks
- Length : 6 inches

2.60

CYC-16



- 1/8" stereo plug to two RCA plugs
- Length : 6 inches

2.35

YC-01



- 1/8" mono plug to two RCA plugs
- Length : 6 inches

2.35

YC-02



- 1/8" mono plug to two RCA jacks
- Length : 6 inches

2.30

YC-03



- RCA plug to two 1/8" mono plugs
- Length : 6 inches

2.35

YC-04



- RCA plug to two 1/4" mono plugs
- Length : 6 inches

2.50

YC-05



- RCA jack to two 1/4" mono plugs
- Length : 6 inches

2.50

YC-06



- RCA jack to two 1/8" mono plugs
- Length : 6 inches

2.35

YC-07



- RCA jack to two RCA plugs
- Length : 6 inches

2.35

YC-08



- 1/8" stereo jack to two 1/8" mono jacks
- Length : 6 inches

2.80

YC-09



- 1/8" mono jack to two RCA jacks
- Length : 6 inches

2.50

YC-10



- 1/8" mono jack to two 1/8" mono plugs
- Length : 6 inches

2.50

YC-11



- 1/4" stereo jack to two 1/4" stereo plugs
- Length : 6 inches

3.00

YC-12



- 1/4" stereo jack to two RCA plugs
- Length : 6 inches

2.80

YC-13



- 1/4" stereo jack to two RCA jacks
- Length : 6 inches

2.80

YC-14



- 1/4" stereo plug to two 1/8" mono jacks
- Length : 6 inches

2.90

YC-15



- 1/4" stereo plug to two 1/8" mono plugs
- Length : 6 inches

2.60

YC-16



- 1/4" stereo plug to two RCA plugs
- Length : 6 inches

2.60

YC-17



- 1/4" stereo plug to two 1/4" stereo plugs
- Length : 6 inches

3.15

YC-18



- 1/4" mono plug to two RCA plugs
- Length : 6 inches

2.45

YC-19



- 1/4" mono plug to two 1/4" mono plugs
- Length : 6 inches

2.65

YC-20



- 1/8" stereo plug to two 1/8" mono jacks
- Length : 6 inches

2.65

INSTRUMENT CABLE

YC-21



- 1/8" stereo plug to two XLR "M"s
- Length : 6 inches

4.80

YC-23



- 1/8" angle stereo plug to two XLR "F"s
- Length : 6 inches

4.95

DC-DC30



- 2.1mm angle DC plug to 2.1mm angle DC plug
- Length : 6 inches

1.85

DC-US



- 1/8" angle mono plug to 2.1mm DC jack
- Length : 6 inches

1.85

CD-6



- DC-DC power supply cord for sound effect pedals terminated with
- 2.1mm DC jack x 1
- 2.1mm DC plug x 5

4.95

YC-22



- 1/8" angle stereo plug to two RCA jacks
- Length : 6 inches

2.35

YC-24



- 1/8" mono plug to two 1/8" mono jacks
- Length : 6 inches

2.65

K-202F



- 1/4" mono jack to 1/4" mono jack
- Length : 6 inches

3.00

DC-MINI



- 1/8" angle mono plug to 2.1mm angle DC plug
- Length : 6 inches

1.90



CAD01

XLR-F TO 1/4"
MONO PLUG

3.65



CAD02

XLR-F TO 1/4"
STEREO PLUG

3.40



CAD03

XLR-M TO 1/4"
STEREO PLUG

3.25



CAD04

XLR-M TO 1/4"
MONO JACK

3.40



CAD05

XLR-M TO 1/4"
STEREO JACK

3.30



CAD06

XLR-F TO 1/4"
STEREO JACK

3.45



CAD07

XLR-F TO RCA PLUG

3.40



CAD08

XLR-M TO RCA PLUG

3.25



CAD09

1/4" MONO JACK TO
1/4" MONO JACK

4.05



RL-10

1/4" MONO PLUG TO
1/4" MONO PLUG

4.20



RL-10G

1/4" MONO PLUG TO
1/4" MONO PLUG

5.75



RL-20

1/4" MONO PLUG TO
1/4" MONO PLUG

2.65



RL-20G

1/4" MONO PLUG TO
1/4" MONO PLUG

3.40



LCA001

1/8" MONO PLUG TO
1/4" MONO JACK

1.30



LCA002

1/8" STEREO PLUG TO
1/4" STEREO JACK

1.35



LCA003

1/4" MONO PLUG TO
1/8" MONO JACK

1.30



LCA004

1/4" STEREO PLUG TO
1/8" STEREO JACK

1.35



LCA005

1/4" MONO PLUG TO
RCA PHONE JACK

1.25



LCA006

1/4" STEREO PLUG TO
RCA PHONE JACK

1.35



LCA007

1/8" MONO PLUG TO
RCA PHONE JACK

1.20



LCA008

1/8" MONO PLUG TO
2X1/8" MONO JACK

1.30



LCA009

1/8" STEREO PLUG TO
2X1/8" STEREO JACK

1.30



LCA010

1/4" MONO PLUG TO
2X1/4" MONO JACK

1.75



LCA011

1/4" STEREO PLUG TO
2X1/4" STEREO JACK

1.85



LCA012

1/8" MONO PLUG TO
2XRCA PHONE JACK

1.25



LCA013

1/8" STEREO PLUG TO
2XRCA PHONE JACK

1.30



LCA014

1/4" MONO PLUG TO
2XRCA PHONE JACK

1.30



LCA015

1/4" STEREO PLUG TO
2XRCA PHONE JACK

1.40



LCA016

RCA PHONE JACK TO
RCA PHONE JACK

1.05



LCA017

RCA PHONE PLUG TO
RCA PHONE PLUG

1.30



LCA018

1/4" MONO JACK TO
RCA PHONE PLUG

1.60



LCA019

1/4" STEREO JACK TO
1/4" STEREO JACK

3.40



LCA020

RCA PHONE JACK TO
2XRCA PHONE JACK

1.60

MICROPHONE ACCESSORIE



Clip
MSA-100

2.40



MSA-101

Ø20mm

2.60



MSA-102

Ø30mm

2.75



MSA-103

Ø20mm

2.50



MSA-104

Ø30mm

2.75



Ex HD 30
Elastic, not breakable

MSA-105

Ø25mm

2.50 BESTSELLER!



Ex HD 80
For Wireless

MSA-106

Ø30mm

2.90



MSA-107

3.40



MSA-108

Ø25mm

2.50



For Shure SM-58

BGSM-58

FITS MOST BALL HEAD MICROPHONE
(SHURE SM-58 TYPE THREADED)
UNIVERSAL HEAD BALL WIND SCREEN

5.50



Choose your color

COLOR OPTION



WS-10

REDUCE WIND VELOCITY WHICH ELIMINATES
WIND NOISE, POP NOISES AND BREATH SOUND

Red / Orange / Yellow / Blue / Black / Grey

1.50

O.D 6.7 mm 2P LOW-Z MICROPHONE CABLE / HOTLINE

- Braided copper shield (99%) x2
- Female XLR & male XLR connector on the ends

| MODEL | LENGTH | Preis in CHF |
|---------|--------|--------------|
| HOT-2L | 0.6M | 7.65 |
| HOT-6L | 1.8M | 9.65 |
| HOT-10L | 3.0M | 11.90 |
| HOT-20L | 6.0M | 17.70 |
| HOT-30L | 9.0M | 23.10 |
| HOT-60L | 18 M | 39.00 |



O.D 6.7 mm 2P HIGH-Z MICROPHONE CABLE / HOTLINE

- Braided copper shield (99%) x2
- 1/4" gold plated connector & female XLR

| MODEL | LENGTH | Preis in CHF |
|---------|--------|--------------|
| HOT-20H | 6M | 18.15 |
| HOT-30H | 9M | 23.55 |



**GUITAR
CABLE**

O.D 6.7 mm NOISELESS GUITAR CABLE / HOTLINE



- Braided copper shield (99%)
- 1/4" gold plated straight connectors on both ends

| MODEL | LENGTH | Preis in CHF |
|-----------|--------|--------------|
| HOT-0.3SS | 0.3M | 8.20 |
| HOT-3.0SS | 3.0M | 11.40 |
| HOT-6.0SS | 6.0M | 14.85 |

O.D 6.7 mm NOISELESS GUITAR CABLE / HOTLINE



- Braided copper shield (99%)
- 1/4" gold plated straight & right angle connectors

| MODEL | LENGTH | Preis in CHF |
|-----------|--------|--------------|
| HOT-0.3SL | 0.3M | 8.75 |
| HOT-3.0SL | 3.0M | 11.95 |
| HOT-6.0SL | 6.0M | 15.50 |

O.D 6.7 mm NOISELESS GUITAR CABLE / HOTLINE



- Braided copper shield (99%)
- 1/4" gold plated right angle connectors

| MODEL | LENGTH | Preis in CHF |
|-----------|--------|--------------|
| HOT-0.3LL | 0.3M | 9.30 |

INSTRUMENT CABLE

SERVICECABLE RCA TO XLR3M, 24AWG OFC, 90% OFC SPIRAL

| MODEL | LENGTH | Preis in CHF |
|---------|--------|--------------|
| XMR-110 | 3M | 8.85 |




SERVICECABLE XLR3F TO RCA, 24AWG OFC, 90% OFC SPIRAL

| MODEL | LENGTH | Preis in CHF |
|---------|--------|--------------|
| XFR-110 | 3M | 8.95 |



3.5mm TRS TO XLR3M




This cable is designed to connect a microphone with a mini stereo output to an XLR input. It is ideal for connecting a shotgun mic to a pro DV camera.

| MODEL | LENGTH | Preis in CHF |
|---------|--------|--------------|
| MMS-110 | 3M | 5.70 |

XLR3F TO 3.5mm TRS

This cable is designed to connect a microphone with an XLR output to a mini stereo phone input. It is ideal for connecting a pro mic to a DV camera or portable audio recorder.

| MODEL | LENGTH | Preis in CHF |
|---------|--------|--------------|
| MFS-110 | 3M | 5.75 |





JJ



JW

POWERTECH JACK / JACK

| | | |
|------|-------|-----------------------------------|
| PX-7 | JJ 6M | FR. 28.-- 17.20 |
| PX-7 | JJ 3M | FR. 24.-- 13.40 |

POWERTECH JACK / WINKEL

| | | |
|------|-------|-----------------------------------|
| PX-7 | JW 6M | FR. 29.-- 17.45 |
| PX-7 | JW 3M | FR. 25.-- 13.60 |



NEW 98

Hot Line Guitar CABLE



Hot Line GUITAR CABLE

BEING BASED ON KNOW-HOW FOR 15 YEARS, WE PRODUCE THE FIRST STRONG CABLE IN THE WORLD, TRANSMITTING PERFECTLY BY 100% THE ELECTRICAL SOUND SIGNAL OF ELECTRIC GUITAR.

Hot Line GUITAR CABLE CAN MAKE GUITAR PLAYER SATISFY PERFECTLY IN ANY OTHER OUTSIDE CONDITIONS. ALSO WE WARRANT THE EXCELLENCE OF THE QUALITY FOR 7 YEARS.

FEATURES :

- 1) AS THE PLUG IS DESIGNED WITH SPECIFIC SHIELD. IT PREVENT FROM OUTSIDE NOISE AND SHOCK.
- 2) AS THE PLUG IS GOLD PLATED(24K), IT MINIMIZE THE RESISTANCE OF ELECTRICAL CONTACT.
- 3) AS THE WIRE HAVE SPECIFIC DESIGN AND CUTTING OFF THE NOISE AND HUM BY 100%, THE SIGNAL OF ELECTRIC GUITAR CAN BE TRANSMITTED PERFECTLY INTO AMPLIFIER.
- 4) AS THE OUTJACKET MATERIAL OF CABLE IS USED SPECIAL RUBBER, IT ACCLIMATE TO THE VARIATION OF OUTSIDE TEMPERATURE AND PREVENT THE TANGLE OF CABLE.



MODEL


- HOT-0.3 SS (0.3m)
- HOT-6.0 SS (6.0m)
- HOT-7.5 SS (7.5m)



- HOT-0.3 SL (0.3m)
- HOT-6.0 SL (6.0m)
- HOT-7.5 SL (7.5m)



- HOT-0.3 LL (0.3m)
- HOT-6.0 LL (6.0m)
- HOT-7.5 LL (7.5m)



LEEM PRODUCTS CO., LTD.

HEAD OFFICE & : 118B-6L NAMDONG INDUSTRIAL AREA,
FACTORY ADD : 688-14, KOJAN-DONG, NAMDONG-KU,
INCHON, KOREA

TELEPHONE : 82-32-816-7100

FAX : 82-32-816-7108

E-MAIL : leem@soback.kornel.nm.kr

<http://soback.kornel.nm.kr/~leem/>